


Интегрированные цанги ER для Coromant EH

Интерфейс со стороны станка DIN 6499-B

DSGN

1



Метрическое исполнение

CZC _{MS}	CZC _{WS}	CNSC	CXSC	DSGN	Код заказа	Размеры, мм, дюйм							
						DCON _{MS}	DCON _{WS}	LF	LB ₁	BD ₁	CP B PSI	Kg	BBD
ER16	E10	1	1	1	EH-ER16-10-008	17.0	9.6	8.0	8.0	9.6	80	0.03	1
						.669	.378	.315	.315	.378	1160		
ER20	E10	1	1	1	EH-ER20-10-008	21.0	9.6	8.0	8.0	9.6	80	0.05	1
						.827	.378	.315	.315	.378	1160		
	E12	1	1	1	EH-ER20-12-010	21.0	11.6	10.0	10.0	11.6	80	0.05	1
						.827	.457	.394	.394	.457	1160		
ER25	E10	1	1	1	EH-ER25-10-012	26.0	9.6	7.2	12.0	9.6	80	0.10	1
						1.024	.378	.283	.472	.378	1160		
	E12	1	1	1	EH-ER25-12-014	26.0	11.6	10.2	14.0	11.6	80	0.10	1
						1.024	.457	.402	.551	.457	1160		
	E16	1	1	1	EH-ER25-16-016	26.0	15.4	14.2	16.0	15.4	80	0.11	1
						1.024	.606	.559	.630	.606	1160		
ER32	E10	1	1	1	EH-ER32-10-012	33.0	9.6	7.4	12.0	9.6	80	0.19	1
						1.299	.378	.291	.472	.378	1160		
	E12	1	1	1	EH-ER32-12-014	33.0	11.6	9.4	14.0	11.6	80	0.20	1
						1.299	.457	.370	.551	.457	1160		
	E16	1	1	1	EH-ER32-16-018	33.0	15.4	13.4	18.0	15.4	80	0.20	1
						1.299	.606	.528	.709	.606	1160		
	E20	1	1	1	EH-ER32-20-022	33.0	19.2	18.9	22.0	19.2	80	0.22	1
						1.299	.756	.744	.866	.756	1160		
	E25	1	1	1	EH-ER32-25-025	33.0	24.1	25.0	25.0	24.1	80	0.24	1
						1.299	.949	.984	.984	.949	1160		

Дюймовое исполнение

CZC _{MS}	CZC _{WS}	CNSC	CXSC	DSGN	Код заказа	Размеры, мм, дюйм							
						DCON _{MS}	DCON _{WS}	LF	LB ₁	BD ₁	CP B PSI	Kg	BBD
ER16	E10	1	1	1	EH-ER16-A10-007	17.0	9.2	7.0	7.0	9.2	80	0.03	1
						.669	.360	.276	.276	.362	1160		
ER20	E10	1	1	1	EH-ER20-A10-007	21.0	9.2	7.0	7.0	9.2	80	0.05	1
						.827	.360	.276	.276	.362	1160		
ER25	E10	1	1	1	EH-ER25-A10-011	26.0	9.2	6.2	11.0	9.2	80	0.10	1
						1.024	.360	.244	.433	.362	1160		
ER32	E10	1	1	1	EH-ER32-A10-011	33.0	9.2	6.4	11.0	9.2	80	0.19	1
						1.299	.360	.252	.433	.362	1160		



P31



Q1



Q35


Интегрированные цанги ER для Coromant EH

Интерфейс со стороны станка DIN 6499-B



DSGN

1



Метрическое исполнение


CZC _{MS}	CZC _{WS}	CNSC	CXSC	DSGN	Код заказа	Размеры, мм, дюйм								
						DCON _{MS}	DCON _{WS}	LF	LB ₁	BD ₁	CP B PSI	kg	BBD	RPMX
ER16	E12	1	1	1	392.EREH-16 12 010	17.0	11.6	10.0	10.0	11.6	80	0.10	1	40000
						.669	.457	.394	.394	.457	1160			
ER20	E16	1	1	1	392.EREH-20 16 014	21.0	15.4	14.0	14.0	15.4	80	0.15	1	40000
						.827	.606	.551	.551	.606	1160			
ER25	E20	1	1	1	392.EREH-25 20 019	26.0	19.2	19.0	19.0	19.2	80	0.23	1	40000
						1.024	.756	.748	.748	.756	1160			


Внимание! Гайка не является стандартной гайкой для цанги ER, и поэтому она не взаимозаменяема с основными комплектующими серии 5533 050- 0X. Гайка всегда включена в комплект!





Интегрированные цанги ER для фрез CoroMill® 327

Интерфейс со стороны станка DIN 6499-B



						Размеры, мм, дюйм						
CZC _{MS}	CZC _{WS}	CNSC	CXSC	DSGN	Код заказа	DCON _{MS}	DCON _{WS}	LF	LB ₁	BD ₁		BBD
ER11	06	0	0	1	327-ER11-06-016	11.4	6.0	12.5	10.0	6.0	0.06	1
						.449	.236	.492	.396	.236		
ER20	09	0	0	1	327-ER20-09-022	21.0	9.0	16.3	15.8	9.0	0.08	1
						.827	.354	.640	.622	.354		
ER25	09	0	0	1	327-ER25-09-022	26.0	9.0	16.3	17.6	9.0	0.11	1
						1.024	.354	.640	.693	.354		
	12	0	0	1	327-ER25-12-030	26.0	12.0	24.3	25.6	12.0	0.11	1
						1.024	.472	.957	1.008	.472		
	14	0	0	1	327-ER25-14-019	26.0	14.3	12.5	15.3	14.0	0.12	1
						1.024	.563	.492	.602	.551		
	14	0	0	1	327-ER25-14-035	26.0	14.3	28.5	30.6	14.0	0.12	1
						1.024	.563	1.122	1.205	.551		
ER32	12	0	0	1	327-ER32-12-030	33.0	12.0	24.3	25.2	12.0	0.13	1
						1.299	.472	.957	.992	.472		
	14	0	0	1	327-ER32-14-019	33.0	14.3	12.5	14.9	14.0	0.14	1
						1.299	.563	.492	.587	.551		



						Размеры, мм, дюйм						
CZC _{MS}	CZC _{WS}	CNSC	CXSC	DSGN	Код заказа	DCON _{MS}	DCON _{WS}	LF	LB ₁	BD ₁		BBD
ER11	09	0	0	1	392.ER327-11 09 022	11.4	9.0	16.0	16.0	9.0	0.09	1
						.449	.354	.630	.632	.354		
ER16	09	0	0	1	392.ER327-16 09 022	17.0	9.0	16.3	16.2	9.0	0.10	1
						.669	.354	.640	.640	.354		
	12	0	0	1	392.ER327-16 12 030	17.0	12.0	24.3	24.2	12.0	0.12	1
						.669	.472	.955	.955	.472		
ER20	12	0	0	1	392.ER327-20 12 030	21.0	12.0	23.8	23.8	12.0	0.13	1
						.827	.472	.937	.937	.472		
	14	0	0	1	392.ER327-20 14 035	21.0	14.3	28.8	28.8	14.0	0.15	1
						.827	.563	1.134	1.134	.551		
ER32	14	0	0	1	392.ER327-32 14 035	33.0	14.3	28.5	30.2	14.0	0.18	1
						1.299	.563	1.122	1.189	.551		

Внимание!

Гайка не является стандартной гайкой для цанги ER, и поэтому ее нельзя заменить, используя основные комплектующие серии 5533 050-0X. Гайка всегда включена в комплект!



P31



Q1



Q35