

M150

- Objímka tvrzená
- Переходные втулки с конусом Морзе
- Tulejka mocująca
- Obímka tvrdená

K=Ext. (externí) K1=Int.

К=Внеш. К1=Внутр.

K=Zew. (Zewnętrzny stożek Morse'a) K1=Wew. (Wewnętrzny stożek Morse'a)

K=Ext. K1=Int.



M150



Nr.	K = Nr.	K1 = Nr.	M150
10	1	0	M1501-0
21	2	1	M1502-1
31	3	1	M1503-1
41	4	1	M1504-1
32	3	2	M1503-2
42	4	2	M1504-2
52	5	2	M1505-2
43	4	3	M1504-3
53	5	3	M1505-3
54	5	4	M1505-4
65	6	5	M1506-5

M151

- Objímka kalená a broušená
- Шлифованные переходные втулки с конусом Морзе
- Tulejka mocująca hartowana i odpuszczana
- Obímka kalená a brúsená

K=Ext. (externí) K1=Int.

K=Внеш. K1=Внутр.

K=Zew.(Zewnętrzny stożek Morse'a) K1=Wew.(Wewnętrzny stożek Morse'a)


K=Ext. K1=Int.



Nr.	K = Nr.	K1 = Nr.	M151
10	1	0	M1511-0
21	2	1	M1512-1
31	3	1	M1513-1
41	4	1	M1514-1
32	3	2	M1513-2
42	4	2	M1514-2
52	5	2	M1515-2
43	4	3	M1514-3
53	5	3	M1515-3
54	5	4	M1515-4
65	6	5	M1516-5

M152

- Vyrážecí klín
- Клин для раскрепления сверл с конусом Морзе
- Klíny do wybijania wiertel
- Vyrážač vrtákov



	M152
Nr.	
0	M1520
1 + 2	M15212
3 + 4	M15234
4 + 5	M15245
6	M1526

M200

- Řezný olej
- Смазочно-охлаждающая жидкость
- Olej chłodząco-smarujący
- Rezný olej

1		■	1.1	1.2	1.3	1.4	1.5	1.6	2.1	2.2	2.3	3.1	3.2	3.3	3.4	4.1	4.2	4.3	5.1	5.2
		●	5.3																	
2		■	7.1	7.2	7.3	7.4														
		●	6.1	6.2	6.3	6.4														
3		■	1.5	1.6	1.7	1.8	2.1	2.2	2.3	2.4	4.1	4.2	4.3	5.1	5.2	5.3				
		●	1.2	1.3	1.4	3.1	3.2	3.3	3.4											



		M200
A		
1/4 Ltr. 12x	1 BLUE	M2000.25NR.1BLUE
1/4 Ltr. 12x	2 RED	M2000.25NR.2RED
1/4 Ltr. 12x	3 GREEN	M2000.25NR.3GREEN
1 Ltr.	1 BLUE	M2001.0NR.1BLUE
1 Ltr.	2 RED	M2001.0NR.2RED
1 Ltr.	3 GREEN	M2001.0NR.3GREEN
5 Ltr.	1 BLUE	M2005.0NR.1BLUE
5 Ltr.	2 RED	M2005.0NR.2RED
5 Ltr.	3 GREEN	M2005.0NR.3GREEN
20 Ltr.	1 BLUE	M20020.0NR.1BLUE